



# Flanged Connection with Extended Diaphragm

Model: DIF-E



## PRODUCT DESCRIPTION

▼  
Upper body of the diaphragm seal, the extended diaphragm and the wetted parts can be made of identical or different materials

▼  
As an alternative, the diaphragm and the extended diaphragm can be coated

▼  
Used for contaminated, solidifying, hot or highly viscous media such as thick walled or isolated tanks and pipelines

## PRODUCT SPECIFICATION

### Type of process connection

ANSI/ ASME B16.5, JIS, DIN2527

### Nominal diameter

1 1/2", 2", 3", 4"

### Instrument connection

1/4, 3/8, 1/2

PT, G, NPT, M

### Scale ranges

Pressure gauge:

1 1/2":

0 ... 4 bar to 0 ... 40 bar

2":

-1 ... 3 bar,

0 ... 2.5 bar to 0 ... 40 bar

3", 4":

-1 ... 1.5 bar,

0...0.6 bar to 0 ... 40 bar

Transmitter:

1 1/2":

0 ... 0.25 bar to 0 ... 40 bar

2":

-1 ... 0.6 bar,

0 ... 0.25 bar to 0 ... 40 bar

3", 4":

-1 ... 0.6 bar,

0 ... 0.1 bar to 0 ... 40 bar

or all other equivalent vacuum or

combined pressure and vacuum ranges

### Material

Body:

304 SS, 316 SS, 316L SS, Dual phase steel, Hastelloy C276, Tantalum,

Titanium, Monel 400, Nickel 200

Diaphragm:

316L SS, Hastelloy C276, Titanium,

Tantalum, Monel 400, Nickel 200

### Medium temperature

0°C ... 80°C,

81°C ... 200°C,

201°C ... 400°C

### Others

Welded with instrument,


coating (PTFE or PFA), capillary with handling tube, cooling element

\* Note:

1. When the diaphragm material is 316L with PTFE coating, it must not be used in vacuum environments or for measuring media containing particles.


## DIMENSIONS

Extended diaphragm



Unit: mm


Extended diaphragm + Capillary with handling tube



Unit: mm

Nominal diameter	1 1/2"	2"	3"	4"
Diaphragm size	38Ø	47Ø	70Ø	90Ø

Six-hole extended diaphragm flange



Unit: mm



*Gauging your needs!*

## **ORDERING INFORMATION**

Model / Type / Process connection / Nominal diameter / Material

Pressure gauge / Nominal size / Scale range / Medium temperature / Options

## **CONTACT INFORMATION**

ADD : 3F.-3, No. 4, Ln. 609, Sec. 5, Chongxin Rd., Sanchong Dist., New Taipei City 241402 , Taiwan (R.O.C.)

TEL : +886-2-25504512

MAIL : [info@sinjiagauge.com](mailto:info@sinjiagauge.com)

WEB : [www.sj-gauge.com](http://www.sj-gauge.com)

- For any changes to the specifications of this catalogue, the latest version shall prevail. -

Copyright © 2024 by SIN JIA ENTERPRISE CO., LTD. All rights reserved.