



Digital Pressure Gauge, Display and Output Signal

Model: MXT



PRODUCT DESCRIPTION

- ▼
4-20mA signal output for remote monitoring
- ▼
Digital display which allows local observation at the same time
- ▼
LED digital panel with high brightness and a wide viewing angle

PRODUCT SPECIFICATION

Connection location

Bottom mount

Voltage supply

DC16-32V

Electrical connection

2P aviation plug

Output signal

4-20mA

Nominal size

2.5"

Protection level

IP 40

Scale ranges

0 ... 5 kPa to 0 ... 100 MPa,
or other equivalent units of pressure,
vacuum or compound

Pressure units

The unit can be specified before
shipment. If unit conversion is required,
it must be reset at the factory.

Accuracy

±1.0% F.S.,
±0.5% F.S.,
±0.25% F.S

Process connection

304 SS, 316 SS
1/4, 3/8, 1/2
PT, G, NPT

Case/Ring

304 SS

Panel

PVC

Medium temperature

-20°C ... 60°C

Display

4 digits


Response time

≥ 5 Hz

Data acquisition rate

30 Hz

DIMENSIONS





Gauging your needs!

ORDERING INFORMATION

Model / Scale range / Accuracy / Process connection / Options

CONTACT INFORMATION

ADD : 3F.-3, No. 4, Ln. 609, Sec. 5, Chongxin Rd., Sanchong Dist., New Taipei City 241402 , Taiwan (R.O.C.)

TEL : +886-2-25504512

MAIL : info@sinjiagauge.com

WEB : www.sj-gauge.com

- For any changes to the specifications of this catalogue,the latest version shall prevail. -

Copyright © 2024 by SIN JIA ENTERPRISE CO., LTD. All rights reserved.