



Digital Thermometer, LCD Display

Model: DTHD



PRODUCT DESCRIPTION

▼
Digital LCD thermometer allows displaying on-site temperature instantly

▼
Digital thermometer with clear and easy-to-read, 4-digit LCD display screen

PRODUCT SPECIFICATION

Connection location

Bottom mount, back mount,
adjustable angle

Nominal size

3", 4"

Scale ranges

-50°C ... 150°C

Accuracy

±1°C

Process connection

304 SS, 316 SS

1/4, 3/8, 1/2, 3/4

PT, G, NPT, M

Sanitary end cap

1", 1 1/2", 2", 2 1/2", 3", 4"

Connection designs

Male thread, plain stem,
compression fitting (sliding on stem),
union nut and loose threaded connection,
male nut, union nut, sanitary end cap,
flange on stem

Stem

304 SS, 316 SS

Length:

30 ... 950 mm (without thread)

can be customized

Diameter:

7.4, 8, 9.5, 10, 12 mm

Case/Ring

304 SS

Window

Glass, safety glass

Dial

4-digit LCD display screen

Battery specification

LR44 x1, can be replaced


Accessories (option)

Thermowell


Ambient temperature

0°C ... 60°C

DIMENSIONS




Dimensions (mm)			
NS	①	②	③
3"	70	85	47
4"	102	119	48




Dimensions (mm)			
NS	①	②	③
3"	72	84	29
4"	102	119	29

DIMENSIONS



Dimensions (mm)				
NS	①	②	③	④
3"	72	84	29	99
4"	102	119	29	124


LCD CHARACTER SIZE




※ The font sizes of 3" and 4" are the same.

CONNECTION DESIGNS


Male thread




Plain stem




Compression fitting (sliding on stem)




Union nut and loose threaded connection




Male nut




Union nut



Sanitary end cap



Flange on stem





Gauging your needs!

ORDERING INFORMATION

Model / Connection location / Nominal size / Scale range / Process connection / Connection design / Stem / Options

CONTACT INFORMATION

ADD : 3F.-3, No. 4, Ln. 609, Sec. 5, Chongxin Rd., Sanchong Dist., New Taipei City 241402 , Taiwan (R.O.C.)

TEL : +886-2-25504512

MAIL : info@sinjiagauge.com

WEB : www.sj-gauge.com

- For any changes to the specifications of this catalogue,the latest version shall prevail. -

Copyright © 2024 by SIN JIA ENTERPRISE CO., LTD. All rights reserved.